

Scholar All articles Recent articles Results 1 - 10 of about 8,660 for **2001 image header data segment dai**

All Results

Tip: Looking for pictures? Try [Google Images](#)

[W Litwin](#)

[P Gupta](#)

[M Neimat](#)

[D Schneider](#)

[N McKeown](#)

[Scalable streaming of JPEG2000 images using hypertext transfer protocol - group of 9 »](#)

S Deshpande, W Zeng - Proceedings of the ninth ACM international conference on ..., **2001** - portal.acm.org

... 200/65531 CRLF [**image data** bytes 175-**2001** --3986fdOb22d ... and streaming of portions of interest of the **image**. ... as a collection of all the **header** information of ...

Cited by 18 - [Related Articles](#) - [Web Search](#)

[Supporting rate guarantee and fair access for bursty **data** traffic in W-CDMA - group of 5 »](#)

AC Kam, T Minn, KY Siu - Selected Areas in Communications, IEEE Journal on, **2001** - ieeexplore.ieee.org

... cations such as Web surfing and downloading of **image**, music, etc. ... better to the proposed

3G W-CDMA standards **header structure** (see Section IV ... 11, NOVEMBER **2001** ...

Cited by 30 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Detecting traffic anomalies through aggregate analysis of packet **header data** - group of 11 »](#)

SS Kim, ALN Reddy, M Vannucci - Proceedings of Networking, 2004 - Springer

... dots at the bottom of the picture show detection ... NLNR network traffic packet **header** traces", accessed ... Security Symposium, Washington, DC, USA, August **2001**. ...

Cited by 17 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Data structure for efficient retrieval of compressed texture **data** from a memory system - group of 3 »](#)

AC Goris, BA Alcorn - US Patent 6,243,081, **2001** - Google Patents

... SET DECOMPRESSION TYPE ACCORDING TO **HEADER** COMPRESSION/ DECOMPRESSION TYPE ... 5, **2001**

Sheet 11 of 11 US 6,243,081 ... and then projecting the resultant **image** back to ...

Cited by 7 - [Related Articles](#) - [Web Search](#)

[LH*—a scalable, distributed **data structure** - group of 9 »](#)

W Litwin, MA Neimat, DA Schneider - ACM Transactions on Database Systems (TODS), 1996 - portal.acm.org

... LH*—A Scalable, Distributed **Data Structure** ... its bucket level (9 or 10 in Figure 2) in its **header**. ... Thus, each client has its own **image** of the file that can ...

Cited by 135 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[System and method for enabling a user to move between cyclically transmitted **image** streams - group of 2 »](#)

R Chernock, P Dettori, M Milenkovic, A Ruiz - US Patent 6,177,930, **2001** - Google Patents

... 23, **2001** Sheet 3 of 3 ... carousels and then wraps the packetized carousel **image** frames into ... MPEG-2 **header data** and transport stream **header structures** around the ...

Cited by 11 - [Related Articles](#) - [Web Search](#)

EA de Kock... - International Symposium on System Synthesis, Kyoto, Japan, ..., 2002 - doi.ieeecomputersociety.org

Cited by 22 - Related Articles - Web Search

J Mauro, R McDougall - 2000 - books.google.com

Cited by 54 - Related Articles - Web Search - Library Search


R Norcen, A Uhl - Communications and Multimedia Security. Proceedings of the ... - Springer
... The packet **header** is located between SOP and EPH ... In AG Tescher, editor,
Applications

Cited by 15 - Related Articles - Web Search - BL Direct

A Basso, A Eleftheriadis, H Kalva, A Puri, RL ... - US Patent 6,292,805, **2001** - Google Patents

Communications ... by distributing necessary information within a **header** of a ...

Cited by 13 - Related Articles - Web Search



[Google Home](#) - [About Google](#) - [About Google Scholar](#)

Scholar [All articles](#) [Recent articles](#) Results 1 - 10 of about 12,100 for 2001 **data segment segment header**

All Results

[P Gupta](#)

[T Cormen](#)

[N McKeown](#)

[C Leiserson](#)

[A Das](#)

[Efficient per-flow queueing in DRAM at OC-192 line rate using out-of-order execution techniques - group of 6 »](#)

A Nikologiannis, M Katevenis - ... , 2001. ICC 2001. IEEE International Conference on, 2001 - [ieeexplore.ieee.org](#)

... write the **data** field of the arriving **segment** and read the **data** field of ... to depart at once - not multiple times: the buffer of every departing **segment** has to ...

[Cited by 29](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Algorithms for packet classification - group of 36 »](#)

P Gupta, N McKeown - Network, IEEE, 2001 - [ieeexplore.ieee.org](#)

... IEEE Network • March/April 2001 25 ... When the **data structure** is reconstructed from scratch, we call it pre ... Scalability in the number of **header** fields used ...

[Cited by 203](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[A Caching Strategy to Improve iSCSI Performance - group of 10 »](#)

X He, Q Yang, M Zhang - [ieeexplore.ieee.org](#)

... stamps help the iCache driver to search for **segments**. ... iCache smoothes out the storage

data traffic between ... <http://sourceforge.net/projects/intel-iscsi>, 2001. ...

[Cited by 24](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[A performance evaluation of storing XML data in relational database management systems - group of 2 »](#)

L Khan, Y Rao - Workshop On Web Information And Data Management, 2001 - [portal.acm.org](#)

... Atlanta, GA, USA © ACM 2001 1-58113 ... dtd"> <!-- Revision 1.5.0 **data/OBOE**, docs ... xmlTag="RequestForQuotation"> <table section="**header**"> <**segment** name="Transaction ...

[Cited by 16](#) - [Related Articles](#) - [Web Search](#)

[Data structure for efficient retrieval of compressed texture data from a memory system - group of 3 »](#)

AC Goris, BA Alcorn - US Patent 6,243,081, 2001 - Google Patents

... SET DECOMPRESSION TYPE ACCORDING TO **HEADER** COMPRESSION/ DECOMPRESSION TYPE ... 5, 2001

Sheet 9 of 11 US ... STARTING ADDRESS OF TARGET COMPRESSED TEXTURE **DATA SEGMENT** ...

[Cited by 7](#) - [Related Articles](#) - [Web Search](#)

[System and method for processing object-based audiovisual information - group of 4 »](#)

A Basso, A Eleftheriadis, H Kalva, A Puri, RL ... - US Patent 6,292,805, 2001 - Google Patents

... 18, 2001 ... The necessary memory required for randomly accessing **data** contained in files using ... by means of an improved physical object table/**segment** object table ...

[Cited by 13](#) - [Related Articles](#) - [Web Search](#)

Dedicated input/output processor method and apparatus for access and storage of compressed **data** - group of 6 »

JE Bolan, BE Clark, GR Klouda, BM Walk - US Patent 6,317,747, **2001** - Google Patents
... Page 13. US Patent Nov. 13, **2001** Sheet 12 of 12 US 6,317,747 BI FIG. 1 3 ... 390 **DATA**
PAGE 392 Page 14. RESERVED RRCB LENGTHJYPE 1 **SEGMENT** TYPE ADDRESS OF
RRCB ...

[Cited by 12](#) - [Related Articles](#) - [Web Search](#)

Supporting rate guarantee and fair access for bursty **data** traffic in W-CDMA - group of 5 »

AC Kam, T Minn, KY Siu - Selected Areas in Communications, IEEE Journal on, **2001** -
ieeexplore.ieee.org

... better to the proposed 3G W-CDMA standards **header structure** (see Section ... 11,
NOVEMBER

2001 decoding a **data segment** using a leaf code yields ten information bits ...

[Cited by 30](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[book] Solaris Internals: Core Kernel Architecture - group of 3 »

J Mauro, R McDougall - 2000 - books.google.com

... Page 3. © **2001** Sun Microsystems, Inc. — Printed in the United States of America. ...
Loadable

Kernel Module Text and **Data** 209 ... 214 The Kernel Memory **Segment** Driver ...

[Cited by 54](#) - [Related Articles](#) - [Web Search](#) - [Library Search](#)

[ps] Long-range dependence and **data** network trac - group of 6 »

W Willinger, V Paxson, RH Riedi, MS Taqqu - Long-range Dependence: Theory and
Applications', Birkhauser ..., **2001** - aciri.org

... the sense that a **segment** of the trac measured at some ... not on its \meaning" as
revealed

by its **header** and/or ... a natural object to derive from this **data** and to ...

[Cited by 46](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

Google

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

2001 data segment segment heade

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

2001 ascii s-record in memory

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about 15,900 for 2001 **ascii s-record in memory**. (0.33 seconds)

[\[PDF\] Reference Guide For SRecCvt](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Because the **S-Record** input file is converted from **ASCII** to binary data and placed in a **memory** array, there is no restriction on the address order or length ...

www.ece.utep.edu/courses/web3376/manuals/SRecCvtRG.pdf - [Similar pages](#)

[Read Me\(SRecord\) Read Me\(SRecord\) NAME SRecord - manipulate EPROM ...](#)

The File Formats The **SRecord** package understands a number of file formats: **Ascii-Hex**

The **ascii-hex** format is understood for both reading and writing. ...

srecord.sourceforge.net/srecord-1.27.README - 27k - [Cached](#) - [Similar pages](#)

[Change Log\(SRecord\) Change Log\(SRecord\) RELEASE NOTES This file ...](#)

The "**ascii-hex**" file format is now understood for reading and writing. ... There is a new split filter, useful for wide data buses and **memory** striping. ...

srecord.sourceforge.net/change_log.txt - 15k - [Cached](#) - [Similar pages](#)

[ARM/ARM9 Agilent AAED2000](#)

boot Monitor > m Load Motorola **S-Record** image into **memory** and execute it The ... Use the terminal emulator's **ASCII** upload command, or (on Linux) simply cat ...

ecos.sourceware.org/docs-latest/redboot/aaed2000.html - 14k - [Cached](#) - [Similar pages](#)

[Embedded Forum Home - MVME162 programming flash with VxWorks](#)

The **S-Record** file is a special **ASCII** encoded version of the compressed binary ...

Programming the MV162 Flash **Memory** for VxWorks using the traditional / ...

[www.innovative-research.com/cgi/yabb/YaBB.cgi?](http://www.innovative-research.com/cgi/yabb/YaBB.cgi?board=MotorolaTechnical;action=display;num=1093723398)

[board=MotorolaTechnical;action=display;num=1093723398](http://www.innovative-research.com/cgi/yabb/YaBB.cgi?board=MotorolaTechnical;action=display;num=1093723398) - 46k - [Cached](#) - [Similar pages](#)

[Color Computer stuff](#)

A monitor program; it lets you look at and change the contents of **memory**, load and save files, read and write disk sectors, jump to any address, etc. **ASCII** ...

www.cs.unc.edu/~yakowenk/coco.html - 28k - [Cached](#) - [Similar pages](#)

[Debugging with GDB: Data](#)

Files may be in binary, Motorola **S-record**, Intel hex, or Tektronix Hex format; however, GDB can only append to binary files. dump [format] **memory** filename ...

sources.redhat.com/gdb/current/onlinedocs/gdb_9.html - 105k - [Cached](#) - [Similar pages](#)

[New Micros, Inc - Nmin-0803 Help](#)

Power up your NMIN-0803-H3 board, all three leds are on, and the message: "(c) 2000-**2001** Motorola Inc. **S-Record** loader. Version 1.3" will be displayed on ...

www.newmicros.com/discussion/archive/index.php/t-500.html - 14k -

[Cached](#) - [Similar pages](#)

[Serial Server](#)

The **2001** identifies the command as a request-for-data using list 1, ... It is computed by summing the binary bytes (not the **ASCII** character codes) beginning ...

linac.fnal.gov/LINAC/software/locsys/localapp/SerialServerPage.html - 12k -

[Cached](#) - [Similar pages](#)

FAQ

Download the **Srecord** utilities that convert Srecords to Bin and Bin to Srecords. ... HEX is incompatible with FLASH **memory**. The empty part of the file is ...
xtronics.com/**memory**/EPROM.htm - 46k - [Cached](#) - [Similar pages](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Download [Google Pack](#): free essential software for your PC

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)[Advanced Search](#)
[Preferences](#)**Web**Results 1 - 10 of about **9,610** for **2001 mrb binary data structure**. (0.18 seconds)

Scholarly articles for 2001 mrb binary data structure

[A Survey on Multidimensional Access Methods](#) - Ahn - Cited by 9[Space Efficient Suffix Trees](#) - Munro - Cited by 42[The university of queensland binary translator \(uqbt\) ...](#) - Cifuentes - Cited by 12

[PDF] Michael R. Bowler - mrb.net Software & Services

File Format: PDF/Adobe Acrobat

Completed 2 applications to download **binary data** files via email and parse ... Designed and created the database table **structure** and physical file folder ...www.mrb.net/mrbowlerresumeweb.pdf - [Similar pages](#)

Phys. Rev. A 63, 013413 (2001): Marcassa et al. - Collisional ...

In this context, the study of trap loss in a **binary** mixture comes at the right ... velocities greater than Rb because of their mass ratio($m_K/m_{Rb} 0.45$); ...link.aps.org/doi/10.1103/PhysRevA.63.013413 - [Similar pages](#)

Phys. Rev. A 63, 033406 (2001): Telles et al. - Trap loss in a two ...

The similar **data** analysis of the loss rates is presented in Sec. ... from the mass ratio effect: since the Rb mass is smaller than the Cs ($m_{Rb}/m_{Cs} 0.64$), ...link.aps.org/doi/10.1103/PhysRevA.63.033406 - [Similar pages](#)

[PDF] LNCS 3177 - DESCRY: A Density Based Clustering Algorithm for Very ...

File Format: PDF/Adobe Acrobat

an adaptive k-d-tree [7] like **data structure** was used. The adaptive k-d-tree is. a **binary** tree that represents a recursive subdivision of the space I ...www.springerlink.com/index/WTL2GPR8PTET4XM1.pdf - [Similar pages](#)

[PDF] Space Efficient Suffix Trees

File Format: PDF/Adobe Acrobat

The number of table lookup's is at most **mrb**. \tilde{Z} and each table lookup takes $O(b)$ time. ...Given a **binary** text of length n , there exists a **data structure** ...linkinghub.elsevier.com/retrieve/pii/S0196677400911519 - [Similar pages](#)

[Paper] Extending SQL to Support Image Content-based Retrieval

Images are stored as "**Binary** Large Objects - BLOBs" **data**, allowing their ... within the RDBMS," in VLDB'2001, Roma, pp. 687-690. [2] M. R. B. Araujo et al. ...www.actapress.com/PDFViewer.aspx?paperId=25082 - [Similar pages](#)

Method and apparatus for previewing the results of a data ...

The apparatus of claim 11 in which the **data structure** comprises a list **structure**. ... 17 shows the message response block (**MRB**) format for a Compute Cache ...www.freepatentsonline.com/6237000.html - 162k - [Cached](#) - [Similar pages](#)

[PDF] Towards Nanocomputer Architecture

File Format: PDF/Adobe Acrobat

dynamic **data structures** that currently do not map well to ... Forshaw, M. R. B., Nikolic, K., Sadek, A. (2001). 3rd Annual ...portal.acm.org/ft_gateway.cfm?id=563950&type=pdf - [Similar pages](#)

[PDF] [Rotational period of WD 1953 – 011 – a magnetic white dwarf with a ...](#)

File Format: PDF/Adobe Acrobat

The **2001** July **data** had been taken with the Kitt Peak V filter, while the rest of the **data** were ... TRM, LMR and **MRB** also acknowledge the support of PPARC. ...

www.blackwell-synergy.com/doi/pdf/10.1111/j.1365-2966.2005.08649.x - [Similar pages](#)

[PDF] [arXiv:astro-ph/0106463 v1 26 Jun 2001](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

These **data** indicate that any **binary** period is probably ~ 10 years. This would be consistent with the failure of Barstow et al. (**2001**) to resolve the ...

www.citebase.org/fulltext?format=application%2Fpdf&identifier=oai%3AarXiv.org%3Aastro-ph%2F0106463 - [Similar pages](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Download [Google Pack](#): free essential software for your PC

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

[Google](#)[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about **966,000** for **2001 header binary data structure** . (0.33 seconds)

Product search results for **2001 header binary data structure**

[Allied Telesyn AT-8824 Intelligent Workgroup Ethernet Switch](#) - \$1,469.59 - 110220volts.com

Title Index

... Information in Internet Messages: The Content-Disposition **Header** Field ... of the **2001**
ACM SIGMOD International Conference on Management of **Data** ...
[dret.net/biblio/titles](#) - 974k - [Cached](#) - [Similar pages](#)

XML.com: XML, SOAP and Binary Data

Following the precedent set forth by SOAP/1.1, the July **2001** SOAP/1.2 Working Draft ...
Even in the face of exotic in-memory or on-disk **data structures** for ...
[www.xml.com/pub/a/2003/02/26/binaryxml.html](#) - 43k - [Cached](#) - [Similar pages](#)

XML.com: XML, SOAP and Binary Data

In all likelihood, securing these **headers** would mean resorting to transport-level ... Even in
the face of exotic in-memory or on-disk **data structures** for ...
[www.xml.com/pub/a/2003/02/26/binaryxml.html?page=last](#) - 43k - [Cached](#) - [Similar pages](#)

Assigning Media Types to Binary Data in XML

This meta-**data** is used to indicate the set of media types the **binary data** may ... **header**
defined by HTTP 1.1 specification, Section 14.1 [IETF RFC 2616]. ...
[www.w3.org/TR/2004/WD-xml-media-types-20040608/](#) - 25k - [Cached](#) - [Similar pages](#)

Assigning Media Types to Binary Data in XML

The 'accept-extensions' of the HTTP 'Accept' **header** are not allowed in the ... This example
illustrates that **binary data** with media type 'image/jpeg' is ...
[www.w3.org/TR/2004/WD-xml-media-types-20041102/](#) - 31k - [Cached](#) - [Similar pages](#)

[PDF] UNDERSTANDING THE SOAP PROTOCOL AND THE METHODS OF TRANSFERRING ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)
message that SOAP uses which shares the same **structure**. ... DIME's **binary** encoding at
the **headers** actually describes the **data** of each record rather than ...
[www.freestylemedia.com.au/Freestylemedia%20White%20Paper%20-%20SOAP.pdf](#) -
[Similar pages](#)

Web Services

This approach is codified by XML Schema's two **binary data** types, xs:base64Binary and ...
Even in the face of exotic in-memory or on-disk **data structures** for ...
[dev2dev.bea.com/webservices/Soap_Binary_Data.html](#) - 47k - [Cached](#) - [Similar pages](#)

Zend Technologies - Code Gallery Spotlight - Creating Zip Files ...

October 4, **2001**. Welcome back Adding files to the Zip **structure** ... it seems that if you try
to add **binary data**, like images, it will completely ruin them. ...
[www.zend.com/zend/spotlight/creating-zip-files3.php?article=creating-zip-files3&kind=sl&id=2607&a...](#) - 92k - [Cached](#) - [Similar pages](#)

[PDF] StaFF project proposal : Binary Data File Protocol 1 Introduction ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

legibility through the use of the strictly defined **header** and **data** labels. The basic **structure** is modelled loosely on the ATLAS **binary** file protocol, ...

www.pnp.physics.ox.ac.uk/~StaFF/public_docs/BinaryFileProposal.pdf - [Similar pages](#)

[PDF] [DataScript—a Specification and Scripting Language for Binary Data](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Many **data** formats are not sequential, but contain **headers** or directories whose entries store offsets into the file at which other **structures** start. ...

www.cs.vt.edu/~gback/papers/gback-datascript-gpce2002.pdf - [Similar pages](#)

[News archive results for 2001 header binary data structure](#)



2001 » [TCP Protocol Layers Explained](#) - Onlamp

2001 » [Integrating SOAP into ebXML](#) - ITworld.com

2001 » [SOAP: Simple Object Access Protocol.\(Technology Information\)](#) - \$6.95 - Electronic Design

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)[Advanced Search](#)
[Preferences](#)

WebResults 21 - 30 of about 966,000 for **2001 header binary data structure** . (0.08 seconds)[Working with XML and Information Systems > XML and digital data](#)

<email> <header> <name>To</name> <value>Lars Marius Garshol < ... Figure 1-2 shows the **structure** of our XML email document as the **data** model. ...

www.informit.com/articles/article.asp?p=29263&seqNum=3 - 25k - [Cached](#) - [Similar pages](#)

[Binary data header vers 0.8](#)

Hence there is a denormalization for the description of **data structure** but not its ... Documentation, Base of the XML **header** associated to the **binary data**. ...

aramis.obspm.fr/~alma/ASDMBIN/sdmDataHeader8.xsd.html - 237k - [Cached](#) - [Similar pages](#)

[The NTFS File System](#)

The Sleuth Kit allows one to view all aspects of the NTFS **structure**. ... UNICODE characters and other **binary data** (I would recommend just using the output ...

www.sleuthkit.org/sleuthkit/docs/skins_ntfs.html - 11k - [Cached](#) - [Similar pages](#)

|

*Moved all the encoding/decoding functions to the public **header** file so they ... many CRLF sequences were being removed from **binary data**, munging PNG files. ...

dehs.alieth.debian.org/wwiz_detail.php?id=8454190&type=up_changes - 7k - [Cached](#) - [Similar pages](#)

[\[PDF\] Drummond Special Newsletter Update](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

the SOAP limitations on **binary data** which must be encoded as required within an XML **structure**. This also allows more granularity by splitting **header**, ...

www.ebxml.org/documents/soap-drummond.pdf - [Similar pages](#)

[xml-dev - Re: Binary Data in XML \(a first pass?\)](#)

Data can be directly converted using standard BASE64 routines, and no generation or checking of **headers** needs to be done. 4) Leverage MIME power! ...

lists.xml.org/archives/xml-dev/199810/msg00001.html - 15k - [Cached](#) - [Similar pages](#)

[Interfacing w MERIS L0 products](#)

PHD - if set, then only Packet **Header** tags are tested DFH - if set, then **Data** ... reorganizes **binary data** and finally builds the output **structure** EXAMPLE: ...

www.acri-st.fr/tools/merlot/rd_pack.html - 17k - [Cached](#) - [Similar pages](#)

[rfc 3072 it allows arbitrary structured data of](#)

A chunk is a **data structure** with a fixed set of components. ... RFC 3072 Structured **Data** Exchange Format March 2001 After the chunk **header** for a compressed ...

www.rfc-editor.org/rfc/rfc3072.txt - 48k - [Cached](#) - [Similar pages](#)

[\[Xml-bin\] Some central design issues](#)

Care should be taken however to use minimal **data structures** when allocating ... 1) It's a CDATA > 2) It's a BDATA (**binary data**) - MIME type in the body too? ...

lists.warhead.org.uk/pipermail/xml-bin/2001-April/000025.html - 14k -

[Cached](#) - [Similar pages](#)

[\[PDF\] Efficient manipulation of binary data using pattern matching](#)

File Format: PDF/Adobe Acrobat

natural it is to specify the **structure** of IP packets and filter them using the **binary**. syntax.
For example, the first four bits of the IP packet **header** ...

journals.cambridge.org/production/action/cjoGetFulltext?fulltextid=358596 - [Similar pages](#)

Result Page: **Previous** [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) **Next**

2001 header binary data structure

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

2001 s-record header binary data structure

Search

[Advanced Search](#)
[Preferences](#)**Web**Results 1 - 10 of about 11,600 for **2001 s-record header binary data structure** . (0.22 seconds)[Resume of Joseph G. Pawletko](#)

US06327183, **2001**, Nonlinear stepped programming voltage ... This program relies on two files: a wafersort **data** file and a calculation sequence file. ...
cs.nyu.edu/~pawletko/resume/resume.html - 58k - [Cached](#) - [Similar pages](#)

[ImageMagick 5.3.6-1 \(6/30/2001\) RPM SRPM ImageMagick is an image ...](#)

GLIB includes generally useful **data structures**, GDK is a drawing toolkit which ... a number of file formats: Motorola **S-Record**, Intel, Tektronix, **Binary**. ...
www.haoli.org/rpm/redhat-7.x-i386-1.html - 69k - [Cached](#) - [Similar pages](#)

[Compiler and Development Tools](#)

GNU preprocessor that processes all the **header** files and macros that your ... An **S-record** is a printable ASCII representation of an executable **binary** image. ...
www.redhat.com/docs/manuals/gnupro/GNUPro-Toolkit-02r1/using.html - 72k - [Cached](#) - [Similar pages](#)

[\[PDF\] 72 end obey lines c 1980, 1986, 1997, 2001 by Gio Wiederhold.](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)
organizations and will be encountered frequently. Similar **data structures** used in. memory, as m-way trees, are often quite narrow, most frequently **binary** (m ...
infolab.stanford.edu/pub/gio/dbd/acm/chap03.pdf - [Similar pages](#)

[bfd.texinfo](#)

It manages 116 memory and various canonical **data structures**. ... 189 a **header**, 190 @item 191 a number of sections containing raw **data** (@pxref{Sections}), ...
src.opensolaris.org/source/xref/sfw/usr/src/cmd/binutils/binutils-2.15/bfd/doc/bfd.texinfo - 28k - [Cached](#) - [Similar pages](#)

[\[PDF\] RTEMS Development Environment Guide](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)
the **data structures** could be "packed" to conserve memory. ... The following command will create a **binary** equivalent file for the two Motorola **S record** ...
www.rtems.com/onlinedocs/releases/4.5.1-pre3/rtemsdoc/pdf/develenv.pdf - [Similar pages](#)

[tutorials-blog.com >> forth >> header structure for intelligent ...](#)

The **data structure** for a named word would look like: link field name field ... test harnesses says that the forth can be converted to an **srecord** (somehow, ...
www.tutorials-blog.com/forth/header-structure-92637/ - 205k - [Cached](#) - [Similar pages](#)

[\[PDF\] SRecord](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)
Version 1.9 (27-Nov-**2001**). • The DEC **Binary** (XXDP) format is now understood for ...
Wherever possible, **header data** is now passed through by srec_cat(1). ...
srecord.sourceforge.net/srecord-1.27.pdf - [Similar pages](#)

[\[PDF\] A flash burning boot loader for the MPC555](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)
Note that we send the raw **binary data** rather than **s-record** lines. ... This utility fills out a **data structure** that reflects the configuration of the board ...
www.cloudcaptech.com/Datasheets/A%20flash%20burning%20boot%20loader%20for%

20the%20MPC555.pdf - [Similar pages](#)

[PDF] [Access Algorithms and Data Structures Underlying a Distributed ...](#)


File Format: PDF/Adobe Acrobat

Scalable Distributed **Data Structure**. February 2003. IST-**2001**-32429 ICONS ... We identify each **binary** string with a **binary** polynomial in one formal unknown x ...

[www.icons.rodan.pl/docs/ICONS_WP5_T1_D18_0105.pdf](#) - [Similar pages](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **Next**

Free! Get the Google Toolbar. [Download Now](#) - [About Toolbar](#)



[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)[Advanced Search](#)
[Preferences](#)

WebResults 1 - 10 of about **889,000** for **self descriptive binary data structure**. (0.28 seconds)**An overview of the MetaKit data format**

BASIC DATA STRUCTURE. To describe the format used for the datafiles, ... These add a single level of indirection, and allow storing **binary data** as ...

www.equi4.com/metakit/format.html - 22k - [Cached](#) - [Similar pages](#)

[PDF] The Envisat data products - Geoscience and Remote Sensing ...

File Format: PDF/Adobe Acrobat

Binary Data sets. ASCII Headers ... Fig.1. PDS. file structure ... **self descriptive** HDF file containing Envisat **data**. PDS **data** file ...

ieeexplore.ieee.org/iel5/6913/18593/00858066.pdf - [Similar pages](#)

[PDF] Query processing for integration of information sources based on a ...

File Format: PDF/Adobe Acrobat

self-descriptive form. **Data** of various **structures** obtained ... atomic type of **binary data**, and so on, or a set of object. identities. ...

[dx.doi.org/10.1002/\(SICI\)1520-684X\(199903\)30:3%3C10::AID-SCJ2%3E3.0.CO;2-M](http://dx.doi.org/10.1002/(SICI)1520-684X(199903)30:3%3C10::AID-SCJ2%3E3.0.CO;2-M) -

[Similar pages](#)

I improved and lengthened the descriptions of netCDF and PDB ...

The usual PDB format, which places the **self-descriptive** information at the end of the ...

The plain-text **binary data** description language defined below is a ...

web.mit.edu/yorick_v2.1/yorick/2.1/doc/FILE_FORMATS - 35k - [Cached](#) - [Similar pages](#)

Apparatus, system, and method for communicating a binary code ...

A **self-descriptive binary data structure** for communicating **binary data**, the **data structure** ... In this way, the **binary data structure** is **self descriptive**. ...

www.freepatentsonline.com/20050114391.html - 54k - [Cached](#) - [Similar pages](#)

Self-descriptive data tag - Patent 20030033280

A **data** tag containing **self-descriptive data**, a method for reading such a **data** ... their position in a field type look-up table or a similar **data structure**, ...

www.freepatentsonline.com/20030033280.html - 43k - [Cached](#) - [Similar pages](#)

[PDF] P1.21 DEVELOPMENT OF GTOOL4 NETCDF CONVENTIONS AND PROCESSOR ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

SELF DESCRIPTIVE FILE FORMAT FOR MULTI-DIMENSIONAL DATA —. TOYODA

Eizi* ... problems of GTOOL3, such as **binary** format portability ...

ams.confex.com/ams/pdfpapers/30365.pdf - [Similar pages](#)

Menai Corporation Gamelon File I/O Library Internet Usage

The overhead required in a Gamelon file to store completely **self-descriptive** internal **structure** and **data** types is minimal -- the smallest Gamelon file is ...

www.menai.com/html/internet.html - 20k - [Cached](#) - [Similar pages](#)

[PDF] EOQ 68

File Format: PDF/Adobe Acrobat - [View as HTML](#)

ASCII headers, followed by a collection. of **binary data** sets. Unlike **data** formats. such as net-CDF or HDF, the products. are not **self-descriptive**. ...

esapub.esrin.esa.it/eqq/eqq68/Enviview_68.pdf - [Similar pages](#)

Moderated Chat: Fast Web Services

ASN.1 is a standard notation for describing **data structures**. ... instance loses all the **self-descriptive** capabilities although it is much more compact. ...
developers.sun.com/prodtech/javatools/jsenterprise/community/chats/july292004.html - 31k
- [Cached](#) - [Similar pages](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

2001 data segments common object file format

Search

[Advanced Search](#)
[Preferences](#)**Web** Results 1 - 10 of about 1,070,000 for **2001 data segments common object file format**. (0.26 seconds)**object code: Definition and Much More from Answers.com**

It is **common** for the same **file format** to be used both as linker input and ... Most **object file** formats are structured as blocks of **data** all of the same sort ...
[www.answers.com/topic/object-file](#) - 52k - [Cached](#) - [Similar pages](#)

Chapter 4: Object Files

Chapter 5 discusses **segments** and the program execution view of the **file**. ... All **data** structures that the **object file format** defines follow the "natural" ...
[www.sco.com/developers/gabi/2001-04-24/ch4.intro.html](#) - 8k - [Cached](#) - [Similar pages](#)

Webopedia: Data Formats and Their File Extensions

GBG DraftMaker Drawing **File** .d00 Blaster Master Pro **File** AdLib **Format File**qd0 **Data file - segment** 10 (Omnis Quartz) .qd1 **Data file - segment** 1 (Omnis ...
[www.webopedia.com/quick_ref/fileextensionsfull.asp](#) - 158k - [Cached](#) - [Similar pages](#)

Cover Pages: XML Localization Interchange File Format (XLIFF)

XLIFF is an XML-based **file format** for the exchange of localization **data**, ... the <target> elements of an XLIFF document into a PO (Portable **Object**) **file**. ...
[xml.coverpages.org/xliff.html](#) - 35k - [Cached](#) - [Similar pages](#)

[PDF] Linking February 20, 2001 15-213File Format: PDF/Adobe Acrobat - [View as HTML](#)

ELF **object file format** .symtab section. • symbol tabletext **segment**. (r/o) .**data segment**. (initialized r/w) .bss **segment**. (uninitialized r/w) ...
[www.cs.cmu.edu/afs/cs.cmu.edu/academic/class/15213-s01/lectures/class11.pdf](#) - [Similar pages](#)

Exif file format

TIFF Header; IFD : Image **file** directory; **Data format**; IFD **data** structure ... This document is based on his Rev.1.11(2001/01/30) of document. ...
[park2.wakwak.com/~tsuruzoh/Computer/Digicams/exif-e.html](#) - 68k - [Cached](#) - [Similar pages](#)

HP-UX STK: Glossary

See also: hbss **segment**, text **segment** and **data segment**. ... The ELF 64 **object file format** is used for 64-bit **object** files in HP-UX 11.x. ...
[devsrc1.external.hp.com/STK/gloss.html](#) - 46k - [Cached](#) - [Similar pages](#)

[PDF] LNCS 2789 - An Oberon Linker for an Imperfect World More Notes on ...

File Format: PDF/Adobe Acrobat

data fork (empty). resource header. code **segment** 1 ... code **segment** n ... Microsoft Portable Executable and **Common Object File Format** Specification. ...
[www.springerlink.com/index/B2T1UU82LKQF3YAH.pdf](#) - [Similar pages](#)

Object Files

Object Files. November 9, 2001. This document describes the LWO2 **file format** for 3D objects used by LightWave®. The LWO2 **format** is new for LightWave® 6.0. ...
[www.newtek.com/lightwave/developer/LW80/8lwsdk/docs/filefmts/lwo2.html](#) - 80k - [Cached](#) - [Similar pages](#)

[PDF] [National Electronic Disease Surveillance System \(NEDSS\) \[ELC ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

CORBA (**Common Object** Request Broker Architecture) ... The entire string is called a **data segment**. ... XML provides a **file format** for representing **data**, ...

origin.cdc.gov/nedss/About/NEDSS_RFA_2001_attach.pdf - [Similar pages](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google